



RECTANGULAR TUBE



Section No.	A	B	T	Weight in Kg. / 12 ft.
5576 CC	77.80	20.70	1.70	3.300-3.900
5654	60.00	35.00	2.40	4.200-4.600
5715 G	84.00	42.00	1.20	3.300-3.600
5808	75.00	50.00	2.00	4.600-5.300
5817	63.00	57.00	2.00	4.400-5.300
5870-L	50.00	20.00	1.10	1.400-1.800
5922	110.0	57.00	1.80	6.000-7.000
6193	40.00	20.00	3.00	3.100-3.800
6209	76.00	38.10	2.40	3.300-3.800
6243	80.00	50.00	2.00	5.000-5.800
6247	76.00	21.00	3.00	5.150-6.000
6258	40.00	20.00	2.00	3.150-4.000
6259	50.00	20.00	2.00	1.375-1.750
6278	70.00	38.00	2.00	4.200-5.000
6304-L	50.00	20.50	1.10	1.300-1.700
6369 IN.R	60.00	30.00	2.50	4.000-4.800


G - General
 CC - Corner Chamfer
 L - Ladder
 IN.R - Inner Radius
 R - Railway
 R.R - Root Radius

ROUND TUBE



Section No.	D	T	Weight in Kg. / 12 ft.
5696	76.00	1.50	3.600-4.000
5704-STEP	100.0	2.20	8.250-9.000
5711	100.0	3.00	8.800-9.600
5769	8.00	1.00	0.250-0.450
5846	38.00	7.50	7.000-8.000
5847	48.00	8.50	10.000-11.000
5899-R	50.00	2.50	3.500-4.000
5942-R	40.00	2.00	2.300-2.800
6009	27.50	2.50	1.900-2.600
6010	43.50	3.25	3.900-4.800
6011	53.80	3.65	5.500-6.500
6077	42.50	6.70	7.600-8.600
6085	38.00	3.00	3.000-3.800
6222	8.50	1.00	0.220-0.400
6225	8.50	1.50	0.300-0.500
6312-EB	61.00	5.45	9.500-10.500
6316-EB	91.24	7.62	19.400-20.600
6357	115.0	2.00	7.200-8.200
6358 STEP	115.0	2.00	7.500-8.500

SQUARE TUBE



Section No.	A	T	Weight in Kg. / 12 ft.
5543	76.00	1.80	5.200-5.700
5653	35.00	2.40	3.000-3.500
5663	60.00	1.40	3.200-3.600
5809	50.00	2.00	3.800-4.200
5871	40.00	2.00	3.300-3.800
5872	44.45	2.00	3.400-4.000
6273	80.00	2.00	6.400-7.400