




**U. CHANNEL**




**SECTION NO: 5660**  
**WT./ 3.66 M: 1.600-1.900**




**SECTION NO: 5676**  
**WT./ 3.66 M: 9.600-10.200**




**SECTION NO: 5768**  
**WT./ 3.66 M: 1.200-1.600**




**SECTION NO: 5780**  
**WT./ 3.66 M: 7.000-7.750**




**SECTION NO: 5802**  
**WT./ 3.66 M: 1.000-1.300**



**SECTION NO: 5868**  
**WT./3.66M: 0.700-1.100**




**SECTION NO: 5919**  
**WT./3.66M: 2.100-2.800**




**SECTION NO: 5980**  
**WT./3.66M: 4.400-5.400**


U. CHANNEL




SECTION NO: 6137  
WT./3.66M: 0.700-1.000




SECTION NO: 6139  
WT./3.66M: 2.700-3.500




SECTION NO: 6140  
WT./3.66M: 1.550-2.000




SECTION NO: 6155  
WT./3.66M: 0.750-1.000




SECTION NO: 6197  
WT./3.66M: 1.150-1.500



SECTION NO: 6261  
WT./3.66M: 1.400-1.800




SECTION NO: 6274  
WT./3.66M: 4.700-5.400




SECTION NO: 6363  
WT./3.66M: 0.800-1.200


U. CHANNEL




SECTION NO: 6371  
WT./3.66M: 4.100-4.800



SECTION NO: 6391  
WT./3.66M: 11.600-12.800



SECTION NO: 6411  
WT./3.66M: 1.050-1.350



SECTION NO: 6425  
WT.3.66M: 1.900-2.300